Julie James AS/MS Ysgrifennydd y Cabinet dros Lywodraeth Leol, Tai a Chynllunio Cabinet Secretary for Housing, Local Government and Planning



Our ref WQ92911/2

Paul Davies MS
Senedd Cymru
Cardiff Bay
Cardiff
CF99 1SN
paul.davies@senedd.wales

Welsh Government

11 June 2024

Dear Paul,

I regret that I was unable to provide substantive answers to two written questions you tabled on 17 May. My answers are as follows.

How is the Welsh Government ensuring the sustainability of rural fire and rescue stations? (WQ92911)

This sustainability of rural fire and rescue stations is a complex and long-term problem which extends well beyond Wales, and which calls for creative thinking and possibly difficult choices. I will therefore be chairing a special meeting of our Social Partnership Forum for Fire and Rescue Services next month to discuss possible solutions.

Will the Cabinet Secretary provide an update on the progress made from the thematic review of operational training within the Welsh Fire and Rescue Services report from October 2022? (WQ92912)

The Chief Fire and Rescue Advisor's (CFRA) recommendations in the Welsh Fire and Rescue Services report from October 2022 aim to ensure firefighters receive high-quality training to operate safely and to protect people, property and the environment. All Services are in the process of implementing those recommendations.

Yours sincerely

Julie James AS/MS

Ysgrifennydd y Cabinet dros Lywodraeth Leol, Tai a Chynllunio Cabinet Secretary for Housing, Local Government and Planning

Canolfan Cyswllt Cyntaf / First Point of Contact Centre: 0300 0604400

Bae Caerdydd • Cardiff Bay Caerdydd • Cardiff CF99 1SN <u>Gohebiaeth.Julie.James@llyw.cymru</u> Correspondence.Julie.James@gov.Wales

Rydym yn croesawu derbyn gohebiaeth yn Gymraeg. Byddwn yn ateb gohebiaeth a dderbynnir yn Gymraeg yn Gymraeg ac ni fydd gohebu yn Gymraeg yn arwain at oedi.

We welcome receiving correspondence in Welsh. Any correspondence received in Welsh will be answered in Welsh and corresponding in Welsh will not lead to a delay in responding.